









#### **ABOUT US**

Gandhar Oil Refinery (India) Limited established in 1992 is amongst the most well diversified players in the Speciality Oils and Lubricants sector with wide range of product portfolio which includes Automotive Oils and Greases, Industrial Oils and Greases, Liquid Paraffin, Transformer Oils, Petroleum Jelly and Rubber Processing Oils which are marketed under the brand name "DIVYOL. Our domestic and international customers are spread across multiple industries, including Automotive, Railways, Defence, Pharmaceutical, FMCG, Chemicals, Steel, Mining, Power, Engineering, Rubber and Tyre etc. Gandhar Oil also has a Coal Division which imports non-coking coal from Indonesia and South Africa for the supply to various domestic customers in Power, Steel, Pharmaceutical, Paper, Cement, Textile, Oil, Chemicals, Sugar and Tyre Industries.



#### **MANUFACTURING FACILITIES**

Gandhar Oil has a combined annual production capacity of 2,32.00 Million ltr for the manufacture of Specialty Oils and Lubricants at two state-of-the-art manufacturing facilities at Silvassa in Dadra and Nagar Haveli bordering Gujarat and at Taloja, in the state of Maharashtra, which are strategically located near ports to cater to all the parts of the country and to facilitate exports. Gandhar Oil has a combined in-house storage capacity of 24.65 Million ltr for storage of key component of raw materials viz. base oils and inhouse warehouses with combined storage capacity of 2.56 Million ltr for the storage of finished products. Gandhar Oil is in the process of developing (a) additional storage capacity of 12.55 Million ltr for base oils; (b) additional annual production capacity of 152.00 Million ltr and (c) additional warehousing capacity of 3.8 Million ltr.

#### PRESENCE ROUND THE GLOBE

Gandhar Oil has subsidiaries in Singapore and Dubai. "Divyol" range of products are exported to more than 100 countries across the world including Middle East, South America, Australia, Far East, Africa and Europe.



#### **RECOGNITIONS AND AWARDS**

Gandhar Oil's passion for quality and customer-oriented approach has not only won the hearts of customers around the globe, but also has been amply certified, awarded and recognised. Our manufacturing facilities at Silvassa and Taloja is QMS 9001:2015, QMS 14001:2015 certified reflecting our commitment towards quality management, safety and sustainable environment. In addition, our Taloja facility is GMP certified for good manufacturing practices systems and our Silvassa facility is OHSAS18001:2007 certified for occupational health and safety management systems.

Gandhar Oil is recognised as Three Star Export House by DGFT, Ministry of Commerce & Industry and has received several export awards such as "Gold" and "Trishul" award by CHEMEXCIL for outstanding export performance and "Niryat Shree" Gold Trophy in the Chemicals, Drugs, Pharma and allied sector awarded by the President of India.



#### PASSION FOR QUALITY AND INNOVATION

Our products are manufactured to maintain international quality and are approved by various approving authorities including FDA (Government of Maharashtra and UT of Dadra and Nagar Haveli and BIS. Our products have also been approved by various recognised testing laboratories and independent third parties, including ERDA, CPRI, REXROTH and Llyods.

Maintaining international quality standards for the products is the foremost priority at Gandhar Oil. An ingrained passion for quality and innovation has consistently challenged the R&D division to constantly improve and innovate the products to meet the growing demands of the industry. Department of Scientific and Industrial Research (DSIR), Ministry of Science and Technology, Government of India has accorded the recognition to our in-house Research and Development center at Silvassa.









## **MOTOR CYCLE OIL**



Divyol Spin X5 SAE 15W50 is a semi synthetic blend premium performance, non-friction modified, shear stable, motor cycle Engine oil specially formulated for new generation four stroke motor cycles for longer clutch life by preventing clutch slippage at start up and varying speed.

Recommended for 4 stroke two wheelers manufactured by Honda, Bajaj Auto, Suzuki, Yamaha, Enfield etc.

PERFORMANCE LEVEL: API SN, JASO MA2 PACK SIZES AVAILABLE: 2.5L, 26L, 50L, 210L

Divyol Spin X4 is a Semi synthetic blend 4 stroke motor cycle oil ensuring sustainable high performance. These oils are formulated for excellent wear protection, resist viscosity and thermal breakdown. It has high VI that provides engines with full protection at higher operating speed, temperatures and other adverse conditions. Recommended for modern high power and high speed four stroke motor cycles.

Recommended for all 4 stroke 2 wheelers manufactured by Hero Honda, Bajaj Auto, Honda, Hero Moto corp, Suzuki, TVS, Yamaha and all new age bikes of other manufacturers where such type oil is recommended

PERFORMANCE LEVEL: API SN, JASO MA2 PACK SIZES AVAILABLE: 900ml, 1L, 26L, 50L, 210L





Divyol X3 is a semisynthetic blend 4 stroke motor cycle oil ensuring sustainable high performance. This oil is formulated for excellent wear protection, resisting viscosity and thermal breakdown. It has high viscosity index that provided engines with full protection at higher operating speed temperatures and other adverse conditions. Recommended for modern high power and high speed four stroke motor cycles manufactured by Hero Honda, Hero Motocorp, Suzuki, TVS, Yamaha etc.

PERFORMANCE LEVEL: API SN, JASO MA2 PACK SIZES AVAILABLE: 900ml, 1L, 26L, 50L, 210L

Divyol Spin 4T zoom is a premium performance four stroke motorcycle oil, non-friction modified, shear-stable, multigrade oil provides excellent oxidation and wear protection for extended oil & engine life as well as longer Clutch life by preventing clutch slippage at start up and varying speed. Spin 4T Zoom is recommended for all 4 stroke 2 wheelers manufactured by Hero Honda, Bajaj Auto, Honda, Hero Motocorp, Suzuki, TVS, Yamaha, Mahindra, Kinetic, Enfield and all new age bikes of other manufacturers where such type oil is recommended.

PERFORMANCE LEVEL: API SM, JASO MA 2 PACK SIZES AVAILABLE: 900ml, 1L, 26L, 50L, 210L



## **MOTOR CYCLE OIL**

Spin 4T is a premium performance, technically advanced four stroke motorcycle engine oil which provides superior protection to engine parts from wear and corrosion. It's a dedicated four stroke motorcycle oil for new generation bikes with high speed, high power & air cooled motorcycles. Spin 4T zoom is recommended for use in the most advanced 4 stroke motorcycle engines with high speed and high power manufactured by Hero Motocorp, Honda, TVS, Bajaj Auto, Suzuki, TVS, Yamaha, Kinetic, and other modern bikes of other manufacturers where such type of oil is recommended.

PERFORMANCE LEVEL: API SL, JASO MA2

PACK SIZES AVAILABLE: 900ml, 1L, 26L, 50L, 210L





Spin 4T Advance is a premium performance, technically advanced dedicated four stroke motorcycle oil for new generation bikes with high speed, high power & air cooled motorcycles. Spin 4T zoom is recommended for use in the most advanced 4 stroke motorcycle engines with high speed and high power manufactured by Hero Motocorp, Honda, TVS, Bajaj Auto, Suzuki, TVS, Yamaha, Kinetic, and other modern bikes of other manufacturers where such type of oil is recommended.

PERFORMANCE LEVEL: API SL, JASO MA2 PACK SIZES AVAILABLE: 900ml, 1L,26L,50L,210L

Divyol Spin 4T Scool is a premium performance low friction four stroke engine oil specially designed for new generation gearless Scooters. Spin4T scool ensures cleanliness, detergent and dispersant properties along with resistance to viscosity increase from unburnt deposits produced by the engine. It is suitable for all makes of 4 stroke Scooters including the scooters manufactured by Honda, Hero Corp, Mahindra, Yamaha etc where such type of oil is recommended.

PERFORMANCE LEVEL: API SL, JASO MB PACK SIZES AVAILABLE: 800ml, 26L, 50L, 210L





Divyol Spin Q4 oil is a high performance multi grade engine oil specially formulated for 4 stroke engines of two/three wheelers such as motor cycles, scooters and auto rickshaws. The oil ensures engine cleanliness thus enhances the engine life. Spin Q4 is recommended for use in the advanced 4 stroke two wheelers such as bikes manufactured by Hero Moto corp, Honda, TVS Suzuki, TVS, Kinetic, Mahindra, LML and other modern bikes of other manufacturers where such type of oil is recommended.

PERFORMANCE LEVEL: API SJ, JASO MA2 PACK SIZES AVAILABLE: 900ml, 1L, 26L, 50L, 210L

#### **MOTOR CYCLE OIL**



Divyol Spin 4 is a high performance 4 stroke motorcycle oil which provides very good oxidation and wear protection. It also minimizes engine deposits due to excellent sludge and Varnish control for maintaining over all engine cleanliness. Spin 4 is recommended for 4 stroke bikes manufactured by Hero Corp, Honda, TVS Suzuki,TVS, Yamaha, Kinetic, Mahindra, LML and other modern bikes of other manufacturers where such type of oil is recommended.

PERFORMANCE LEVEL: API SJ, JASO MA2 PACK SIZES AVAILABLE: 900ml, 1L, 26L, 50L, 210L

Divyol Shock absorber oil has excellent damping effect, chemical stability, oxidation stability and seal compatibility. Due to low pour point, it can be used round the year in extreme weather.

PACK SIZES AVAILABLE: 175ML, 350ML, 50L, 210L



#### **PASSENGER CAR MOTOR OIL**



Divyol Spectro SX 20W50 is a new generation high performance semi synthetic Blend gasoline engine oil for modern passenger cars It provides good protection against oxidation, wear and corrosion under high temperature operation. Also it provides not only good cold starting but also high resistance to sludge formation. Recommend for both gasoline and diesel engine passenger cars as well as light commercial vehicles

PERFORMANCE LEVEL : API SN/CF PACK SIZES AVAILABLE : 3L, 50L, 210L

Divyol Spectro CX 5W30 is a new generation semi synthetic Blend gasoline engine oil blended with the most advanced additive package to enable it to give exceptional performance under most severe operating conditions. The oil provides not only good cold starting and high resistance to sludge, low volatility characteristics but also it provides effective protection against oxidation, wear and corrosion under high temperature operations. Recommend for both new generation gasoline and diesel engine passenger cars as well as light commercial vehicles.

PERFORMANCE LEVEL: API SN/CF PACK SIZES AVAILABLE: 3.5L, 50L, 210L



### **OUT BOARD MOTOR OIL**

Divyol Gondola X2 oil is specially blended for Two stroke outboard gasoline engine lubrication. It is inhibited with low ash detergent additives to provide protection against scuffing and wear.

PERFORMANCE LEVEL: API TC, JASO FC PACK SIZES AVAILABLE: 5L, 26 L, 50L, 210L



#### **DIESEL ENGINE OIL**



Divyol HXV 15W-40 is a high performance semi synthetic blend engine oil made especially for vehicles fueled with Ultra Low Sulfur Diesel (ULSD) and require the use of Low Ash engine oils, to protect the installed emissions equipment, including DPFs, catalytic converters, EGR and SCR injection. This oil offers excellent performance to maximize component life, extend drain intervals and improve fuel performance. The stable additive package used in this oil has good soot dispersancy to protect against oil thickening and abrasive wear. It also provides rust and corrosion protection and helps prevent varnish and sludge formulation.

PERFORMANCE LEVEL: API CJ-4 / SM, ACEA E5 / E7, CAT ECF-3, Cummins CES 20081, DDC Power Guard 93K218, Mack EO-0 Premium Plus, Renault VI RLD-3, Volvo VDS-4 PACK SIZES AVAILABLE: 26L, 50L, 210L

Divyol DISOL SXV oil is an extra high viscosity Index high performance semi synthetic blend diesel engine oil that provides excellent lubrication of today's diesel engine promoting extended engine life. Its advanced additive system ensures control over soot induced wear, high temperature piston deposits, foaming and oxidation stability. The product meets and exceeds the specifications of all major European, Asian and American engine manufacturers. This oil is suitable for use in high performance diesel engine applications including the latest low emissions engines fitted with EGR technology. The oil is recommended for use in naturally aspirated and turbo charged diesel engines from leading Japanese, European, Asian and American manufacturers, mixed fleet, on highway heavy duty trucking off highway construction and mining equipment. Recommended for the vehicles and tractors manufactured by TATA, Ashok Leyland, Mahindra, Eicher, Volvo, MAN, Mercedes, Scania, AMW etc.

PERFORMANCE LEVEL: API CI-4+/SL, MB 228.3/229.1,VOLVO VDS-3, MAN M3275, MACK EO-N, ACEA E7/B4/A3-12, CUMMINS CES 20078/77/76, CATERPILLAR ECF-2, GLOBAL DHD-1

PACK SIZES AVAILABLE: 1L, 5L, 7L, 7.5L, 10L, 15L, 26L, 50L, 210L





Divyol Disol TC 15w40 diesel engine oil is a superior quality shear stable multigrade premium performance crank case oil which provides excellent protection to high performance modern engines used in the toughest on and off highway equipment. It assures outstanding protection against high temperature piston deposits, oil degradation and oil thickening. It has the potential to extend the oil drain intervals. It is suitable for use in new generation diesel heavy commercial, on and off highway vehicles & equipment. Disol TC is recommended for the vehicles manufactured by TATA, Ashok Leyland, Mahindra, Eicher, TAFE, Escorts, PTL, John Deere, HMT etc

PERFORMANCE LEVEL : API CH-4/CG-4/CF-4/CF/CF-2/SL, MB 228.3, VOLVO VDS 2 VDS-2, MAN 3275, ACEA E7-12, A3/ B4-12, BIS 13656 -2014, EDL 7

PACK SIZES AVAILABLE : 1L, 5L, 7.5L, 10L, 15L, 26L, 50L, 210L

#### **DIESEL ENGINE OIL**



Divyol Disol Turbo oil is a high performance shear-stable multigrade diesel engine oil specially formulated with premium quality base stock and advanced additive technology to achieve high temperature piston deposit control, soot dispersancy and oil thickening control and Low temperature sludge protection.

Recommended for Turbo charged/super charged diesel engines fitted in heavy/light commercial vehicles, Agricultural Tractors, Buses, Trucks, Excavators, Tippers, Dozers, DG sets etc. Also recommended for the vehicles manufactured by TATA, Ashok Leyland, Mahindra, Eicher, TAFE, Escorts, ITL, PTL, John Deere, HMT etc

PERFORMANCE LEVEL: API CF4/SJ, MIL-L-2104 E, ALLISON C-4, VOLVO - VDS, MB 228.1, BIS: 13656-2014, EDL5, EPL 4, MAN 271, ACEA E2-96/A3-96 PACK SIZES AVAILABLE: 500ML, 1L, 3L, 5L, 6L, 7.5L, 10L, 15L, 26L, 50L, 210L

Divyol Tracxx Multigrade Diesel engine oils are high performance, shear-stable, thermal stable new generation oils specially formulated for Tractors & mixed fleet working under severe service conditions. Recommended for use in all types of tractors and fleets with both light and heavy-duty engines where multigrade oil is preferred.

PERFORMANCE LEVEL: API CF-4, BIS:13656-2014, EDL-4, MACK T8A PACK SIZES AVAILABLE: 1L,5L,6L,7.5L,8.5L,10L,20L,26L,50L,210L





DIVYOL DISOL D 20W40 is a high performance premium quality engine oil. It is formulated using high quality paraffinic base oils with selected premium quality additives to take care of all types of turbo-charged, naturally aspirated diesel and gasoline engines. Recommended for mixed fleet of both diesel and gasoline engines of old generation Trucks, buses, Tractors, LCV's, diesel genset coperating under moderate to severe service conditions.

PERFORMANCE LEVEL: API-CF/SF, IS 13656, EDL 3, EPL-3,

MIL-L-2104 C, MACK T-8A

PACK SIZES AVAILABLE: 500ML, 1L, 5L, 6L, 7.5L, 10L, 20L, 26L, 50L, 210L

Divyol Red Plus 20w40 is a superior general purpose multi grade crank case oil developed having high detergency and oxidation stability properties to meet the general performance requirements of gasoline and naturally aspirated diesel engines. Recommended for LCV's, Agril equipment, Three / two wheelers, Diesel genset, etc.

PERFORMANCE LEVEL: API CF/SF

PACK SIZES AVAILABLE: 500ml(Pet Bottle), 1L(Pet Bottle), 26L, 50L, 210L



#### **AGRICULTURE OIL**

Divyol UNITRAXX oil is exclusively designed for multifunctional Agricultural Tractor's transmission, Differential & final drive, Wet multiple disc brake and hydraulic System. It also functions as a power brake, power steering, power take off and implement drive fluid with sufficient friction and heat transfer characteristics to facilitate the efficiency operation of Tractor wet brakes and power take off units.

Recommended for new generation agricultural tractors requiring a single Lubricant for hydraulic system, Brakes, transmissions and wet clutch.

PERFORMANCE LEVEL: John Deere JDM J20 D/ J20C,

Ford ESN M2C 134D, Case New Holland CNH MAT 3505/ 3525 / 3526 AGCO : Massey Ferguson M1145 / M1143/ M1135/M1138, API GL4

PACK SIZES AVAILABLE: 1L, 5L, 10L, 20L, 26L, 50L, 210L





DIVYOL TILLER X is a superior quality SAE 20W40 engine oil developed with carefully selected additive to meet the severe performance requirement of Power Tiller and other small stationary engines. This oil posses high detergency and excellent oxidation stability

PERFORMANCE LEVEL: API CF / SF PACK SIZES AVAILABLE: 1.5L,3.5L,26L,50L,210L

Divyol Krushi jeevan (Pump set oil) is a superior quality agricultural diesel pump set oil SAE 20W40 specially developed to meet the severe performance requirements of pump sets and other small stationary diesel engines for industrial use.

Recommended for use where multi grade oil is preferred for a wide range of diesel pump sets where maximum protection is required in all climate service conditions.

PERFORMANCE LEVEL: API CF / SF

PACK SIZES AVAILABLE: 1.5L, 3.5L, 26L, 50L, 210L



#### **GAS ENGINE OIL**

Divyol ECO 4 oil is blended from premium quality base stocks and most advance additives to take care of extra heat generated during combustion of gas in the engines. It is a dedicated engine oil formulated for vehicle operating on Natural gas, LPG and dual fuels.

Recommended for CNG/LPG fitted Cars, Taxis, Autorickshaws and Three wheelers fitted with 4 stroke engines.

PERFORMANCE LEVEL: API SG / CF PACK SIZES AVAILABLE: 1L (HDPE & Pet bottle), 3L, 26L, 50L, 210L

### **AUTOMOTIVE GEAR OIL**



Divyol Spine EP 90 gear oil is formulated for use in a wide range of gear units with normal, bevel and helical gear designs, including synchromesh manual gearboxes, transmissions and axles under moderately severe load and pressure conditions. These oils meet the requirements of several automotive manufacturers for cars, vans and commercial vehicles and hence recommended for cars, trucks, buses and off highway equipment.

PERFORMANCE LEVEL : API GL4,BIS 1118-92 RA 2011 (EP TYPE-GL4), US MIL-L-2105

PACK SIZES AVAILABLE: 500ml, 1L, 5L, 10L, 20L, 26L, 50L, 210L

Divyol Spine EP 140 is a specially formulated for use in a wide range of gears which includes synchromesh manual gears, transmissions and axles working under moderate to severe load and pressure conditions. It is designed to match all type of gear applications for both old or new generation vehicle types including spiral, bevel or worm gear transmission system where API GL4 gear oil is recommended.

PERFORMANCE LEVEL: API GL4, BIS 1118-92 RA 2011 (EP TYPE GL-4),

US MIL-L-2105

PACK SIZES AVAILABLE: 1L, 5L, 7L, 10L, 20L, 26L, 50L, 210L





Divyol Spine EP 80 W 90 is specially formulated for use in a wide range of gears which includes synchromesh manual gears, transmissions and axles working under moderate to severe load and pressure conditions. Due to its high shear stability they provide excellent protection for gears used in new generation vehicle types including spiral, bevel or worm gear transmission system where API GL4 Multigradegear oil is recommended.

PERFORMANCE LEVEL: API GL4,BIS 1118-92 RA 2011 (EP TYPE-GL4), US MIL-L-2105

PACK SIZES AVAILABLE: 500ml, 1L, 5L, 10L, 20L, 26L, 50L, 210L

Divyol Spine XD type gear oil is recommended for all types of gears particularly hypoid gears, axles operating under various combinations of high speed shock loads and low speed high torque conditions. ideal for all types of highway and off highway vehicles working under severe and wide varied temperature conditions. This product is also available with "Limited Slip" properties. It is specially formulated to meet the vehicle and equipment manufacturer's requirements where API GL-5 gear oil is recommended.

PERFORMANCE LEVEL: API GL5, BIS 1118-92 RA 2011 (EP TYPE-GL5),

US MIL-L-2105D

PACK SIZES AVAILABLE: 500ml, 1L, 5L, 10L, 20L, 26L, 50L, 210L



#### **AUTOMATIC TRANSMISSION FLUID**

Divyol TQX1 is specially formulated to meet the General Motor's Automatic Transmission Fluid Type 'A' Suffix 'A' specification. This fluid imparts good anti wear dispersancy, anti oxidation, de-foaming and desired friction characteristics. Recommended for Automatic transmission and power steering units of Automobiles and light vehicles where OEM specifies to use Type'A' Suffix 'A' grade of fluid.

PERFORMANCE LEVEL: GM TYPE 'A', SUFFIX 'A'
PACK SIZES AVAILABLE: 500ml, 1L, 5L, 26L, 50L, 210L





Divyol TQX2 serves as a power transmission fluid in the torque converter, hydraulic fluid in the control and servo systems, as a lubricant for bearings & gears and as a friction -controlling for bands and clutches. Recommended for automatic transmissions, power steering and other hydraulic system. It is having effective frictional characteristics for smooth shifting, reduced foaming and fluid loss under severe service conditions.

PERFORMANCE LEVEL : GM DEXRON II E, FORD MERCON,

CATERPILLAR TO-2, ALLISON C3

PACK SIZES AVAILABLE: 500ml, 1L, 5L, 26L, 50L, 210L

#### **AUTOMOTIVE GREASES**

Divyol MP3 is a premium quality lithium soap base grease and is recommended for variety of greasing applications in automotive, agriculture, construction and industrial application. It is recommended for lubrication of wheel bearing, chassis, nipple steering linkages, universal joints etc. The grease provides maximum protection by adhering well to the lubricated bearing surfaces sealing them from dirt and abrasive contaminants.

Appearance: Smooth, buttery and Light yellowish

PERFORMANCE LEVEL: Meets NLGI 3, BIS 12203-99 and IS 7623-1993 (Industrial-Regular type grade 3)

PACK SIZES AVAILABLE: 100gm, 500gm, 1kg, 2kg, 3kg, 5kg, 18kg, 180kg





Divyol X-Red is a long life (\*60000km) lithium Red colour gel grease formulated with a specially designed soap system, high viscosity index base oil and carefully balanced additives for lubrication under moderate to heavy loads and intermittent high temperatures. The soap in the grease helps in retaining its structure even under severe service condition and high loads, thereby extends component life through extension of re-lubrication interval. Recommended for automotive wheel bearing application particularly in Trucks, Transport vehicles, Tractors, earth moving equipment etc...

\*under standard test conditions

Appearance: Smooth, Red, Gel Type PACK SIZES AVAILABLE : 500gm, 1kg, 2kg, 3kg, 5kg, 7kg, 180kg

#### **AUTOMOTIVE GREASES**



Divyol Xl-Red is an Ultra-long life(\*75000km), excellent shear stability, good surface adhesion and antiwear characteristic grease specially formulated from refined, high viscosity index base oils and lithium complex thickener. This grease is fortified with unique additives for long life performance, rust and oxidation inhibitors specially developed for bearing operating under severe heavy shock loads. Also the grease is having high thermal stability which enables to withstand high temperature that are generated in the bearing during severe braking action with Disc brakes.

Recommended for all automotive application including cars, trucks, buses, constructions and mining equipment working under severe conditions.

\*under standard test conditions.

Appearance: Smooth, tacky, Gel Type

NLGI GRADE: 2/3

PACK SIZES AVAILABLE: 1kg, 5kg, 7kg, 180kg

#### **CONSTRUCTION SEGMENT**

Divyol Hydraulic oils type C are blended from hydro treated base stocks (water white) having excellent Thermal and Hydrolytic stability. These oils are fortified with carefully selected anti-oxidants, anti-wear, anti-rust and anti-foam additives. Recommended for modern mobile hydraulic equipment manufactured by Escorts, JCB, ACE, Sany etc.

ISO VG GRADE: 32, 46, 68, 100

PERFORMANCE LEVEL: DIN 51524 PART II

PACK SIZES AVAILABLE: 5L (ISO VG 68), 20L, 26L, 50L, 210L





Divyol Hydraulic oils are high quality hydraulic oils, designed to meet the requirements of normal hydraulic & circulating systems. These Series oils are formulated with high quality solvent refined mineral oils and synergistic additives for imparting anti-wear, anti-corrosion, oxidation inhibition and anti-foam properties. Recommended for all types of general mobile hydraulic equipment in control and power transmission systems.

ISO VG GRADES: 32, 46, 68, 100

PERFORMANCE LEVEL: DIN 51524 PART I, IPSS: 1-09-002

IS: 10522 / 1983 - Reaffirmed 2004

PACK SIZES AVAILABLE: 5L (ISO VG 68), 20L, 26L, 50L, 210L

Divyol Extreme pressure (EP) greases are multifunctional extreme pressure lithium soap greases manufactured from high viscosity index base oils and fortified with carefully selected extreme pressure additives for high load bearing capacity. They are recommended for gearboxes, heavily loaded anti-friction and plain bearing on industrial and automotive equipment. It meets IS: 7623-1993 (EP Type) and IPSS: 1-09-005 specification.

Appearance: Smooth, Pale yellow / dark brown

NLGI GRADE: 0, 00, 2, 3

PACK SIZES AVAILABLE: 18kg, 180kg



#### **CONSTRUCTION SEGMENT**

Divyol Chassis Grease is a calcium soap grease, having excellent water repellent and good water wash out properties. Recommended for all types of chassis lubrication requirements such as ball joints, suspension, steering gear system, plain bearings, bushings and pins in automotive chassis assemblies.

Appearance: Smooth, yellow

NLGI GRADE: 2, 3


PACK SIZES AVAILABLE: 18kg, 180 kg

















# INDUSTRIAL OILS

- Hydraulic & Circulating Oils (R & O, Anti-wear, HLP & HVI Type)
- ◆ Turbine Oils
- ◆ Compressor Oils
- ◆ High speed Spindle Oils
- ◆ General Purpose Machinery Oils
- ◆ Industrial Gear Box Oils
- ◆ Flendergearboxoils
- ◆ Machine Tools Way Oils
- ◆ AirToolOils
- ◆ Steam Cylinder Oils
- ◆ Sugar Mill Roll Bearing Oils
- Open Gear & Wire Rope Compounds
- Refrigeration Oils

## **GREASES**

- ♦ Heavy Duty Bearing Greases
- ◆ High Temperature Greases
- ◆ Graphitized Greases
- ◆ Extreme Pressure Greases
- ◆ Multipurpose Greases
- Bituminous Open Gear Compound



# METAL WORKING FLUIDS

- ◆ Neat Cutting Oils
- Honing Oils
- Emulsifiable Cutting Coolants
- Synthetic Coolants
- ◆ Semi Synthetic Coolants
- Metal Drawing Compounds
- ◆ Spark Erosion Oils
- Rolling Oils
- Semi Synthetic Rolling Oil
- ◆ Pickler Oil





## **Specialty Oils**

- Fire Resistant Hydraulic Oils
- Rust Preventives
   (Oil-based, dry film, de-watering type)
- ◆ Heat Transfer Fluids
- ◆ Antistatic Oils
- ◆ Quenching & Tempering Oils
- ◆ Cable Oils & Compounds
- ◆ Ink Oils
- ◆ Glass Mould Oils
- ◆ Cement Mould Oils
- ◆ Cleaning Agents



## **LIQUID PARAFFIN AND PETROLEUM JELLY**

DIVYOL range of Liquid and Heavy Liquid Paraffin is specially manufactured to meet the requirements of the pharmaceutical and cosmetics industry for use in creams, fine chemicals, hair oils, agarbattis, soaps, perfumes, tobacco

- ◆ Light and Heavy Liquid Paraffin
- ◆ Petroleum Jelly
- ◆ Paraffin & Micro-crystalline Wax



# **Rubber Processing Oils**

- ◆ Aromatic Oil
- ◆ Naphthenic Oil
- ◆ Paraffin Oil
- ◆ Low PCA Oil





# gandhar oil refinery (india) ltd.

Raising the bar. Setting the standards.

A QMS 9001:2015, EMS 4001 : 2015, OHSAS 18001, GMP Certified Company, Three Star Export House Govt. Recognised in-house R & D Centre

#### **Registered Office:**

18<sup>th</sup> Floor, DLH Park, Near MTNL, S.V. Road, Goregaon(W), Mumbai 400062, India. CIN: U23200MH1992PLC068905 | www.gandharoil.com Telephone number +91-22-40635600 / E-mail ID : gandharcare@gandharoil.com

> Overseas Office Singapore | Dubai

### Branch Offices & Depots

Pune | Baroda | Indore | Raipur | Udaipur | Jaipur | Delhi | Faridabad | Ghaziabad | Sonepat | Manesar | Haridwar | Patna Hyderabad | Mangalore | Bangalore | Guwahati | Varanasi | Hapur | Dharamtar | Jaigarh | Kandla | Surat(Magdalla) | Navlakhi Krishnapatnam | Vishakapatnam | Gangavaram | Tuticorin | Paradeep | Haldia

> Plants Taloja | Silvassa

